

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: KODAK INDICATOR STOP BATH
SYNONYMS: CONCENTRATE: KAN 354752; PCD 2838; I-0009.000; WORKING SOLUTION: KAN 966067
PRODUCT CODES: 74340

MANUFACTURER: ELECTRON MICROSCOPY SCIENCES
DIVISION: 1560 INDUSTRY ROAD/P.O. BOX 550
ADDRESS: HATFIELD, PA 19440

EMERGENCY PHONE: 215-412-8400
CHEMTREC PHONE: 800-424-4300

FAX PHONE: 215-412-8450

CHEMICAL NAME: N/A
CHEMICAL FAMILY: N/A

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

CONCENTRATE:

ACETIC ACID
WATER
BROMOCRESOL PURPLE

WORKING SOLUTION:

WATER
ACETIC ACID

<u>CAS NO.</u>	<u>% WT</u>	<u>% VOL</u>	<u>SARA 313 REPORTABLE</u>
000064-19-7	85-90	N/A	
007732-18-5	10-15	N/A	
000115-40-2	<0.1	N/A	
007732-18-5	95-100	N/A	
000064-19-7	1-5	N/A	
	<u>ppm</u>	<u>mg/m3</u>	
OSHA PEL-TWA:	10	25	
OSHA PEL STEL :	N/A	N/A	
OSHA PEL CEILING:	N/A	N/A	
ACGIH TLV-TWA:	10	N/A	
ACGIH TLV STEL:	15	N/A	
ACGIH TLV CEILING:	N/A	N/A	

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: DANGER! POISON! COMBUSTIBLE LIQUID AND VAPOR

ROUTES OF ENTRY: EYES, SKIN, INHALATION, AND INGESTION

POTENTIAL HEALTH EFFECTS

EYES: VAPOR EXTREMELY IRRITATING TO EYES. CAUSES SEVERE EYE BURNS

SKIN: CAUSES SEVERE SKIN BURNS

INGESTION: MAY BE FATAL OR HARMFUL IF SWALLOWED

INHALATION: VAPOR EXTREMELY IRRITATING TO THE RESPIRATORY TRACT

ACUTE HEALTH HAZARDS: N/A

CHRONIC HEALTH HAZARDS: N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

CARCINOGENICITY

OSHA: N/A ACGIH: N/A NTP: N/A IARC: N/A
OTHER: N/A

SECTION 4: FIRST AID MEASURES

EYES: **CONCENTRATE:** FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY
 WORKING SOLUTION: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.

SKIN: **CONCENTRATE:** IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IMMEDIATELY. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES.

WORKING SOLUTION: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.

INGESTION: **CONCENTRATE:** DO NOT INDUCE VOMITING. GIVE VICTIM A GLASS OF WATER. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

WORKING SOLUTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

INHALATION: **CONCENTRATE:** MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION IMMEDIATELY.

WORKING SOLUTION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: N/A
(% BY VOLUME) **LOWER:** N/A

FLASH POINT:

F: 128 DEG (CONCENTRATE)

C: 53 DEG (CONCENTRATE)

METHOD USED: CLOSED CUP

AUTOIGNITION TEMPERATURE: N/A

F: N/A

C: N/A

NFPA HAZARD CLASSIFICATION

HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0
OTHER: N/A

HMIS HAZARD CLASSIFICATION

HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0
PROTECTION: A

EXTINGUISHING MEDIA: **CONCENTRATE:** WATER SPRAY, CARBON DIOXIDE (CO₂), DRY CHEMICAL, ALCOHOL FOAM
 WORKING SOLUTION: USE APPROPRIATE AGENT FOR ADJACENT FIRE.

SPECIAL FIRE FIGHTING PROCEDURES: **CONCENTRATE:** WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. USE WATER SPRAY TO KEEP FIRE-EXPOSED CONTAINERS COOL.

WORKING SOLUTION: NONE (NONCOMBUSTIBLE)

UNUSUAL FIRE AND EXPLOSION HAZARDS: **CONCENTRATE:** CLASSIFIED AS COMBUSTIBLE. MATERIAL CONTAINS A COMBUSTIBLE SOLVENT THAT MAY ACCUMULATE IN THE CONTAINER HEADSPACE.

WORKING SOLUTION: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: **CONCENTRATE:** CARBON DIOXIDE, CARBON MONOXIDE
 WORKING SOLUTION: NONE (NONCOMBUSTIBLE)

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

CONCENTRATE: ELIMINATE ALL IGNITION SOURCES. ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.
WORKING SOLUTION: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

PERSONAL PRECAUTIONARY MEASURES:

CONCENTRATE: DO NOT BREATHE VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. DO NOT BREATHE VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. USE ONLY WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

WORKING SOLUTION: AVOID BREATHING VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

PREVENTION OF FIRE AND EXPLOSION:

CONCENTRATE: KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP AWAY FROM HEAT AND FLAME. USE WITH ADEQUATE VENTILATION.

WORKING SOLUTION: NO SPECIAL PRECAUTIONARY MEASURES SHOULD BE NEEDED UNDER ANTICIPATED CONDITIONS OF USE.

STORAGE:

CONCENTRATE: KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES (SEE INCOMPATIBILITY SECTION).

WORKING SOLUTION: KEEP CONTAINER CLOSED

OTHER PRECAUTIONS: N/A

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: N/A

VENTILATION: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED). VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

RESPIRATORY PROTECTION: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR TYPE: FULL-FACE ORGANIC VAPOR CARTRIDGE. IF RESPIRATORS ARE USED, A PROGRAM SHOULD BE INSTITUTED TO ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134.

EYE PROTECTION:

CONCENTRATE: IF A FULL-FACE RESPIRATOR IS NOT WORN, WEAR VAPOR-TIGHT CHEMICAL GOGGLES

WORKING SOLUTION: WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES).

SKIN PROTECTION: WEAR IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: EYE BATH, WASHING FACILITIES, SAFETY SHOWER.

WORK HYGIENIC PRACTICES: N/A

EXPOSURE GUIDELINES: LIMITS:

ACGIH THRESHOLD LIMIT VALUE (TLV):

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

ACETIC ACID: 10 PPM TWA, 15 PPM STEL
OSHA (USA) PERMISSIBLE EXPOSURE LIMIT (PEL- 1971 TABLE Z-1 VALUES):
ACETIC ACID: 10 PPM TWA, 25 MG/M3 TWA.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: CONCENTRATE: LIGHT YELLOW
 WORKING SOLUTION: COLORLESS

ODOR: CONCENTRATE: SHARP VINEGAR
 WORKING SOLUTION: VINEGAR

PHYSICAL STATE: LIQUID

pH AS SUPPLIED: CONCENTRATE: < 2
 WORKING SOLUTION: 2-3

pH (Other): N/A

BOILING POINT:

 F: 128 DEG

 C: 53 DEG

MELTING POINT: N/A

 F: N/A

 C: N/A

FREEZING POINT: N/A

 F: N/A

 C: N/A

VAPOR PRESSURE (mmHg): CONCENTRATE: 19.5 MBAR (14.6 MM HG)
 WORKING SOLUTION: 24 MBAR (18MM HG)

@

 F: 68 DEG

 C: 20 DEG

VAPOR DENSITY (AIR = 1): CONCENTRATE: 1.9
 WORKING SOLUTION: 0.6

@

 F: N/A

 C: N/A

@

 F: N/A

 C: N/A

EVAPORATION RATE: N/A

BASIS (=1): N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (con't)

SOLUBILITY IN WATER: COMPLETE

PERCENT SOLIDS BY WEIGHT: N/A

PERCENT VOLATILE: 100%

 BY WT/ BY VOL @

 F: N/A

 C: N/A

VOLATILE ORGANIC COMPOUNDS (VOC):

 WITH WATER: N/A LBS/GAL
 WITHOUT WATER: N/A LBS/GAL

MOLECULAR WEIGHT: N/A

VISCOSITY: N/A

@

 F: N/A

 C: N/A

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

SECTION 10: STABILITY AND REACTIVITY

STABILITY: STABLE

CONDITIONS TO AVOID (STABILITY): N/A

INCOMPATIBILITY (MATERIAL TO AVOID): CONCENTRATE: STRONG OXIDIZING AGENTS, BASES
WORKING SOLUTION: NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N/A

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

EFFECTS OF EXPOSURE: ACUTE OVEREXPOSURE TO EXTREMELY HIGH AIRBORNE CONCENTRATIONS OF RESPIRATORY IRRITANTS HAS BEEN ASSOCIATED WITH DEVELOPMENT OF AN ASTHMA-LIKE REACTIVE AIRWAYS SYNDROME (RADS) IN SUSCEPTIBLE INDIVIDUALS. EXTREMELY HIGH AIRBORNE CONCENTRATIONS ARE NOT GENERATED DURING NORMAL CONDITIONS OF USE BUT MAY OCCUR FOLLOWING A SPILL. THE POTENTIAL TO GENERATE EXTREMELY HIGH AIRBORNE CONCENTRATIONS IN A SPILL SITUATION DEPENDS UPON PHYSICAL FACTORS SUCH AS THE CONCENTRATION OF THE SOLUTION, THE VOLUME OF THE SPILL, THE SURFACE AREA OF THE SPILL, THE SIZE OF THE ROOM WHERE THE SPILL OCCURRED, AND THE VENTILATION RATE IN THE ROOM.

INHALATION: CONCENTRATE: VAPOR EXTREMELY IRRITATING.

WORKING SOLUTION: EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING.

EYES: CONCENTRATE: CAUSES SEVERE BURNS. VAPOR EXTREMELY IRRITATING.

WORKING SOLUTION: CAUSES IRRITATION. HOWEVER, IMMEDIATE FLUSHING OF THE EYES WITH WATER WILL MINIMIZE ANY IRRITATIVE EFFECT.

SKIN: CONCENTRATE: CAUSES SEVERE BURNS.

WORKING SOLUTION: LOW HAZARD FOR RECOMMENDED HANDLING.

INGESTION: CONCENTRATE: MAY BE FATAL IF SWALLOWED. MAY CAUSE BURNS OF THE GASTROINTESTINAL TRACT IF SWALLOWED.

WORKING SOLUTION: EXPECTED TO BE A LOW INGESTION HAZARD.

ACUTE TOXICITY DATA: DATA FOR GLACIAL ACETIC ACID (95%)

ORAL LD-50 (RAT): 3.3 G/KG

ORAL LD-50 (MOUSE): 4.9 G/KG

INHALATION LCL₀ (RAT): 16,000 PPM/4 HOUR(S)

INHALATION LCL₀ (MOUSE): 5620 PPM/1 HOUR(S)

DERMAL LD-50: 1.06 G/KG

SKIN IRRITATION: SEVERE

EYE IRRITATION: SEVERE

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS.

<u>POTENTIAL TOXICITY</u>	<u>CONCENTRATE</u>	<u>WORKING SOLUTION</u>
FISH LC50 MG/L:	10-100	>100
DAPHNID EC50 MG/L:	10-100	>100
ALGAL IC50 MG/L:	>100	>100
ORGANICS READILY DEGRADABLE (>70%) :	YES (7 DAYS)	YES (7DAYS)
POTENTIAL BIOACCUMULATION:	LOG POW <1	LOG POW <1
COD (APPROXIMATE G/L):	940	15
BOD5 (APPROXIMATE G/L):	680	10
POTENTIAL TOXICITY WASTE TREATMENT MICROORGANISMS EC50 (MG/L):	>100	>100

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: COMPLY WITH FEDERAL, STATE, LOCAL REGULATIONS.

RCRA HAZARD CLASS: N/A

SECTION 13: DISPOSAL CONSIDERATIONS (con't)

DISCHARGE, TREATMENT, OR DISPOSAL IS SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

CONCENTRATE: CONTRACT WITH A LICENSED CHEMICAL DISPOSAL AGENCY.

WORKING SOLUTION: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENT:

FOR TRANSPORT INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HZMAT HOT LINE: (716) 722-2400 8 A.M. – 5 P.M. MONDAY THROUGH FRIDAY (EASTERN STANDARD TIME).

WATER TRANSPORTATION

PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

SAME

AIR TRANSPORTATION

PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

SAME

OTHER AGENCIES: N/A

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): N/A

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): N/A

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): NONE

311/312 HAZARD CATEGORIES: NONE

313 REPORTABLE INGREDIENTS: NONE

STATE REGULATIONS:

MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE

MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

INTERNATIONAL REGULATIONS: N/A

MATERIAL SAFETY DATA SHEET

MSDS DATE:08/13/07

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: US/CANADIAN LABEL STATEMENTS:

CONCENTRATE: CONTAINS: ACETIC ACID

DANGER! POISON. MAY BE FATAL OR HARMFUL IF SWALLOWED. CAUSES SEVERE SKIN AND EYE BURNS. VAPOR EXTREMELY IRRITATING TO THE EYES AND RESPIRATORY TRACT COMBUSTIBLE LIQUID AND VAPOR.

FIRST AID: IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE VICTIM A GLASS OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. IF INHALED, MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES AND SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IMMEDIATELY. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES.

KEEP OUT OF REACH OF CHILDREN.

DO NOT HANDLE OR USE UNTIL SAFETY PRECAUTIONS IN MATERIAL SAFETY DATA SHEET (MSDS) HAVE BEEN READ AND UNDERSTOOD.

ADDITIONAL HAZARD PRECAUTIONS FOR CONTAINERS GREATER THAN 1 GALLON OF LIQUID OR 5 POUNDS OF SOLID:

SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW THE LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

IN CASE OF FIRE: USE WATER SPRAY, CARBON DIOXIDE (CO₂), DRY CHEMICAL, ALCOHOL FOAM. USE WATER SPRAY TO KEEP FIRE-EXPOSED CONTAINERS COOL.

IN CASE OF SPILL: ABSORB SPILL WITH INERT MATERIAL, THEN PLACE IN A CHEMICAL WASTE CONTAINER. FLUSH RESIDUAL SPILL OR AREA WITH WATER. FOR LARGE SPILLS, DIKE FOR LATER DISPOSAL. ELIMINATE ALL IGNITION SOURCES.

WORKING SOLUTION:

CONTAINS ACETIC ACID

WARNING! CAUSES EYE IRRITATION

AVOID BREATHING VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WAS THOROUGHLY AFTER HANDLING.

FIRST AID: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.
KEEP OUT OF REACH OF CHILDREN.

SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

PREPARATION INFORMATION: N/A

DISCLAIMER: IN COMPLIANCE WITH THE OSHA HAZARD COMMUNICATION STANDARD, 29 C.F.R 1910. 1200, WE ARE PROVIDING YOU WITH A MSDS FOR THE HAZARDOUS MATERIAL YOU ARE PURCHASING.

IT IS YOUR RESPONSIBILITY TO EDUCATE YOUR EMPLOYEES ON THE SAFE USE OF THE HAZARDOUS MATERIAL.

ELECTRON MICROSCOPY SCIENCES MAKES NO PRESENTATION AS TO THE ACCURACY OF THE INFORMATION IN THE MSDS. THE INFORMATION IS BELIEVED TO BE CORRECT; HOWEVER, YOU (THE CUSTOMER), SHOULD PERFORM YOUR OWN INVESTIGATION AND INDEPENDENT VERIFICATION. IF YOU RESELL THE PRODUCT, YOU ARE RESPONSIBLE TO FORWARD THE INFORMATION IN THE MSDS TO YOUR CUSTOMER.