Printing date 11/03/2022

Reviewed on 11/03/2022

1 Identification

- · Product identifier
- · Trade name: EUKITT Neo Special Mounting Medium
- · Article number: 15320-25, 15322-25
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: info@emsdiasum.com www.emsdiasum.com

• Information department: Product safety department • Emergency telephone number: ChemTrec 1-800-424-9300 Contract <u>CCN7661</u> 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 3 H226 Flammable liquid and vapor.



Skin Irrititation 2H315 Causes skin irritation.Sensitization - Skin 1H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: (R)-p-mentha-1,8-diene Methyl Methacrylate N-BUTYL METHACRYLATE, MONOMER
Hazard statements Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

US

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

	(Contd. of page 1)
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 2	
1 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 Health = 1	
FIRE 2 $Fire = 2$	
REACTIVITY o Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
5989-27-5	(R)-p-mentha-1,8-diene	>50- <i>≤</i> 100%
80-62-6	Methyl Methacrylate	<i>≤</i> 2.5%
	N-BUTYL METHACRYLATE, MONOMER	<i>≤</i> 2.5%

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

US

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:		
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
80-62-6	Methyl Methacrylate	17 ppm
	N-BUTYL METHACRYLATE, MONOMER	19 mg/m ³
· PAC-2:		
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
80-62-6	Methyl Methacrylate	120 ppm
	N-BUTYL METHACRYLATE, MONOMER	210 mg/m ³
· PAC-3:		
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
80-62-6	Methyl Methacrylate	570 ppm
	N-BUTYL METHACRYLATE, MONOMER	1,300 mg/m ³

(Contd. on page 4)

(Contd. of page 2)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

(Contd. of page 3)

7 Handling and storage

- · Handling:
- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect from heat. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Protect from heat and direct sunlight.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

80-62-6 Methyl Methacrylate

- PEL Long-term value: 410 mg/m³, 100 ppm
- *REL* Long-term value: 410 mg/m³, 100 ppm
- TLV Short-term value: 100 ppm Long-term value: 50 ppm DSEN, A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

US

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
· Appearance:	
Form:	Fluid
Color:	Light yellow
· Odor:	<i>Fruit-like</i>
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	174 °C (345.2 °F)
· Flash point:	48 °C (118.4 °F)
· Flammability (solid, gaseous):	Flammable.
· Ignition temperature:	255 °C (491 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	6.1 Vol %
· Vapor pressure at 20 °C (68 °F):	2.3 hPa (1.7 mm Hg)
· Density at 20 °C (68 °F):	0.85 g/cm ³ (7.09325 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

- U

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

		(Contd. of page
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	400 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	65.0 %	
VOC content:	65.00 %	
	552.5 g/l / 4.61 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
5989-27-5	(R)-p-mentha-1,8-diene 3]
80-62-6	Methyl Methacrylate 3	
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety Health Administration)]
None of the	e ingredients is listed.	
		us -

(Contd. on page 7)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- *Remark:* Very toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	10/20/20
DOT, ADR, IMDG, IATA	UN2052
UN proper shipping name	
DOT	Dipentene
ADR	2052 DIPENTENE, ENVIRONMENTALLY HAZARDOUS
IMDG	DIPENTENE, MARINE POLLUTANT
IATA	DIPENTENE
Transport hazard class(es) DOT	
Class	3 Flammable liquids

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

	(Contd. of page
Label	3
ADR, IMDG	
Class Label	3 Flammable liquids 3
IATA	
Class Label	3 Flammable liquids 3
Packing group	- -
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: (R) -pmentha-1,8-diene
Marine pollutant:	Yes (DOT) Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 30 F-E,S-E A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations Remarks:	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L Special marking with the symbol (fish and tree).
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2052 DIPENTENE, 3, III, ENVIRONMENTALL HAZARDOUS

(Contd. on page 9)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

(Contd. of page 8)

• Safety, health and environmental regulations/legislation specific for the substance No further relevant information available.	? or mixture
• Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
80-62-6 Methyl Methacrylate	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
80-62-6 Methyl Methacrylate	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
EPA (Environmental Protection Agency)	
80-62-6 Methyl Methacrylate	<i>E</i> , <i>N</i>
· TLV (Threshold Limit Value)	
80-62-6 Methyl Methacrylate	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	

• Hazard pictograms



· Signal word Warning

 Hazard-determining components of labeling: (R)-p-mentha-1,8-diene
 Methyl Methacrylate
 N-BUTYL METHACRYLATE, MONOMER
 Hazard statements

Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction.

(Contd. on page 10)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: EUKITT Neo Special Mounting Medium

	(Contd. of page
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

· Date of preparation / last revision 11/03/2022 / -· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety Health TLV: Threshold Limit Value **PEL:** Permissible Exposure Limit **REL:** Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Skin Irrititation 2: Skin corrosion/irritation – Category 2 Sensitization - Skin 1: Skin sensitisation - Category 1