Printing date 01/17/2023

Reviewed on 01/17/2023

## **1** Identification

- · Product identifier
- Trade name: EMS Rapid Pro Solution 1
- Article number: 26750-01
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: info@emsdiasum.com www.emsdiasum.com

- Information department: Product safety department • Emergency telephone number:
- ChemTrec 1-800-424-9300 Contract <u>CCN7661</u> 1-703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Germ Cell Mutagenicity 2H341 Suspected of causing genetic defects.Carcinogenicity 1BH350 May cause cancer.



Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: formaldehyde Methyl Alcohol Sodium Phosphate Monobasic Monohydrate • Hazard statements Harmful if swallowed

Harmful if swallowed. Causes skin irritation.

(Contd. on page 2)

US

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

(Contd. of page 1)	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
Suspected of causing genetic defects.	
May cause cancer.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 0	
2 <b>U</b> Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH 2</b> $Health = 2$	
FIRE 0 $Fire = 0$	
$\begin{array}{c} \text{REACTIVITY} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ $ \\ \hline \\ \\ \hline \end{array} \\ \\ \hline \end{array} \\ \\ \\ \hline \end{array} \\ \\ \\ \\ \hline \end{array} \\ \\ \\ \\	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
· <b>vPvB</b> : Not applicable.	

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
67-68-5 DMSO	>25- <i>≤</i> 50%
50-00-0 formaldehyde	>10- <i>≤</i> 25%
67-56-1 Methyl Alcohol	<i>≤</i> 2.5%
	(Contd. on page 3)

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

10049-21-5 Sodium Phosphate Monobasic Monohydrate

 $\frac{\text{(Contd. of page 2)}}{\le 2.5\%}$ 

#### 4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- $\cdot \textit{Personal precautions, protective equipment and emergency procedures} \textit{ Not required.}$
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
67-68-5 DMSO	150 ppm
50-00-0 formaldehyde	0.90 ppm
67-56-1 Methyl Alcohol	530 ppm
· PAC-2:	
67-68-5 DMSO	290 ppm
· · ·	(Contd. on page 4)

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

	(Contd. of page 3)
50-00-0 formaldehyde	14 ppm
67-56-1 Methyl Alcohol	2,100 ppm
· PAC-3:	
67-68-5 DMSO	1,800 ppm
50-00-0 formaldehyde	56 ppm
67-56-1 Methyl Alcohol	7200* ppm

#### 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-68	-5 DMSO
WEEL	L Long-term value: 250 ppm
50-00	-0 formaldehyde
PEL	Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)
REL	Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A
TLV	Short-term value: 0.3 ppm Long-term value: 0.1 ppm DSEN; RSEN, A1
67-56	-1 Methyl Alcohol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin
	(Contd. on page 5)

US

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

TIV	(Contd. of page
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm Skin; BEI
-	dients with biological limit values:
	5-1 Methyl Alcohol
	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)
Addii	ional information: The lists that were valid during the creation were used as basis.
Expo	sure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	protective clothing separately.
	l contact with the eyes and skin.
	t <b>hing equipment:</b> se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air.
	ction of hands:
.117	Protective gloves
	Fiolective gloves
	love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	o missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	<b>rial of gloves</b> abortion of the suitable aloves does not only depend on the material, but also on further marks of quality as
	election of the suitable gloves does not only depend on the material, but also on further marks of quality ar s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	ove material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to l
obser	
	rotection:
	Tightly sealed goggles

# 9 Physical and chemical properties · Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid Color: C lear(Contd. on page 6)

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

	(Contd. of pag
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	8.9
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not flammable.
· Ignition temperature:	270 °C (518 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	1.8 Vol %
Upper:	73 Vol %
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.02174 g/cm³ (8.52642 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
$\cdot$ Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	50.0 %
Organic solvents:	59.0 %
Water:	36.0 %
VOC content:	59.00 %
	953.6 g/l / 7.96 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

1

K

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

• Hazardous decomposition products: No dangerous decomposition products known.

#### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 50-00-0 formaldehyde

*Oral LD50* >200 *mg/kg* (*rat*)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- $\cdot$  Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant

Carcinogenic.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

50-00-0 formaldehyde

· NTP (National Toxicology Program)

50-00-0 formaldehyde

· OSHA-Ca (Occupational Safety Health Administration)

50-00-0 formaldehyde

## **12 Ecological information**

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

<sup>·</sup> Toxicity

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

(Contd. of page 7)

# **13 Disposal considerations**

· Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	Void
ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Void
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S., MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S.
Transport hazard class(es)	
DOT	
Class	Void
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	Void
ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code	
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex II of	

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

	(Contd. of page 8
· Transport/Additional information:	
· ADR	
$\cdot$ Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
$\cdot$ Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: El
· · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. 9, III

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

50-00-0 formaldehyde	
Section 313 (Specific toxic chemical listings):	
50-00-0 formaldehyde	
67-56-1 Methyl Alcohol	
TSCA (Toxic Substances Control Act):	
67-68-5 DMSO	ACTIVE
7732-18-5 Deionized Water, Reagent Grade A.C.S.	ACTIVE
50-00-0 formaldehyde	ACTIVE
7558-79-4 disodium hydrogenorthophosphate	ACTIVE
67-56-1 Methyl Alcohol	ACTIVI
· Hazardous Air Pollutants	
50-00-0 formaldehyde	
67-56-1 Methyl Alcohol	
Proposition 65 Chemicals known to cause cancer:	
Proposition 65	
Proposition 65 Chemicals known to cause cancer:	
Proposition 65         Chemicals known to cause cancer:         50-00-0       formaldehyde	
Proposition 65         Chemicals known to cause cancer:         50-00-0       formaldehyde         Chemicals known to cause reproductive toxicity for females:	
Proposition 65         Chemicals known to cause cancer:         50-00-0       formaldehyde         Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.	
<ul> <li>Proposition 65</li> <li>Chemicals known to cause cancer:</li> <li>50-00-0 formaldehyde</li> <li>Chemicals known to cause reproductive toxicity for females:</li> <li>None of the ingredients is listed.</li> <li>Chemicals known to cause reproductive toxicity for males:</li> </ul>	
<ul> <li>Proposition 65</li> <li>Chemicals known to cause cancer:</li> <li>50-00-0 formaldehyde</li> <li>Chemicals known to cause reproductive toxicity for females:</li> <li>None of the ingredients is listed.</li> <li>Chemicals known to cause reproductive toxicity for males:</li> <li>None of the ingredients is listed.</li> </ul>	
<ul> <li>Proposition 65</li> <li>Chemicals known to cause cancer:</li> <li>50-00-0 formaldehyde</li> <li>Chemicals known to cause reproductive toxicity for females:</li> <li>None of the ingredients is listed.</li> <li>Chemicals known to cause reproductive toxicity for males:</li> <li>None of the ingredients is listed.</li> <li>Chemicals known to cause developmental toxicity:</li> </ul>	
Proposition 65         • Chemicals known to cause cancer:         50-00-0       formaldehyde         • Chemicals known to cause reproductive toxicity for females:         None of the ingredients is listed.         • Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         • Chemicals known to cause reproductive toxicity for males:         None of the ingredients is listed.         • Chemicals known to cause developmental toxicity:         • 67-56-1         Methyl Alcohol	

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

(Contd. of page 9)

A2

· TLV (Threshold Limit Value)

50-00-0 formaldehyde

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

50-00-0 formaldehyde

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger · Hazard-determining components of labeling: formaldehyde Methyl Alcohol Sodium Phosphate Monobasic Monohydrate · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.* 

(Contd. on page 11)

US

Printing date 01/17/2023

Reviewed on 01/17/2023

Trade name: EMS Rapid Pro Solution 1

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Contact:

• Date of preparation / last revision 01/17/2023

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit **BEI:** Biological Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity - Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B