Printing date 11/03/2022

Reviewed on 11/03/2022

1 Identification

- · Product identifier
- Trade name: <u>WAX STRIPPER</u>
- · Article number: 50392-01
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: info@emsdiasum.com

www.emsdiasum.com

- · Information department: Product safety department
- *Emergency telephone number:* ChemTrec 1-800-424-9300 Contract <u>CCN7661</u> 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.



Acute Toxicity - Oral 4H302 Harmful if swallowed.Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger


- Hazard-determining components of labeling: disodium metasilicate
 Hazard statements
 Harmful if swallowed.
 Causes severe skin burns and eye damage.
 May cause respiratory irritation.
- **Precautionary statements** Do not breathe dusts or mists. Wash thoroughly after handling.

(Contd. on page 2)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER



4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

⁻ US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralizing agent. Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

6834-92-0 disodium metasilicate

· PAC-2:

6834-92-0 disodium metasilicate

· PAC-3:

6834-92-0 disodium metasilicate

7 Handling and storage

· Handling:

- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

 3.8 mg/m^3

 42 mg/m^3

 250 mg/m^3

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance:
- Form:
- Color:
- · Odor:

Powder White Odorless

(Contd. on page 5)

US

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

		(Contd. of page 4
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	15.0 %	
VOC content:	0.00 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

(Contd. of page 5)

	tion on toxicological effects
Acute to:	
LD/LC5) values that are relevant for classification:
6834-92-	0 disodium metasilicate
Oral LD	50 1,280 mg/kg (rat)
	irritant effect:
	in: Strong caustic effect on skin and mucous membranes.
on the ey	
	ustic effect.
	ritant with the danger of severe eye injury.
	tion: No sensitizing effects known. al toxicological information:
	ut toxicological information. uct shows the following dangers according to internally approved calculation methods for preparations
Harmful	uer snows me jonowing dangers decording to internativy approved calculation memous jor proparations
Corrosiv	e
Irritant	
Swallowi and stom	ng will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagi ach.
-	genic categories
IARC (In	tternational Agency for Research on Cancer)
None of i	he ingredients is listed.
NTP (Na	tional Toxicology Program)
None of t	he ingredients is listed.
OSHA-C	a (Occupational Safety Health Administration)
None of t	he ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3253
UN proper shipping name	
DOT	Disodium trioxosilicate mixture
ADR	3253 DISODIUM TRIOXOSILICATE mixture
IMDG, IATA	DISODIUM TRIOXOSILICATE mixture
Transport hazard class(es)	
DOT	
\wedge	
Class	8 Corrosive substances
Label	8
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

	(Contd. of page 7	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 25 kg	
	On cargo aircraft only: 100 kg	
ADR		
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
IMDG		
Limited quantities (LQ)	5 kg	
Excepted quantities $(\widetilde{E}Q)$	Code: El	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 1000 g	
UN "Model Regulation":	UN 3253 DISODIUM TRIOXOSILICATE MIXTURE, 8, III	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

	(Contd. of page 8
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harn	ionized System (GHS).
Hazard pictograms	
$\wedge \wedge$	
GHS05 GHS07	
Signal word Danger	
Hazard-determining components of labeling: disodium metasilicate	
Hazard statements	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause respiratory irritation.	
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water	/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if	present and easy to d
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	1 .:
Dispose of contents/container in accordance with local/regional/national/international reg	guiations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

Date of preparation / last revision 11/03/2022 / Abbreviations and acronyms:

 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 NFPA: National Fire Protection Association (USA)
 (Contd. on page 10)

- US

Printing date 11/03/2022

Reviewed on 11/03/2022

Trade name: WAX STRIPPER

(Contd. of page 9) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Recommended Exposure Limit Recommended Exposure Limit Skin Corrosion IB: Skin corrosion/irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3