Printing date 03/08/2023

Reviewed on 03/08/2023

# **1** Identification

- · Product identifier
- Trade name: <u>DETOJET</u>
- · Article number: 60525, 60526
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Electron Microscopy Sciences 1560 Industry Road USA-Hatfield, PA 19440 Tel: 215-412-8400 Fax: 215-412-8450 email: info@emsdiasum.com www.emsdiasum.com

- · Information department: Product safety department
- Emergency telephone number: ChemTrec 1-800-424-9300 Contract <u>CCN7661</u> 1-703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

*Eye Damage 1* H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Silicic acid, sodium salt sodium hypochlorite, solution POTASSIUM HYDROXIDE
Hazard statements Causes severe skin burns and eye damage.
Precautionary statements Do not breathe dusts or mists.

Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

(Contd. on page 2)

US

Printing date 03/08/2023

Reviewed on 03/08/2023

### Trade name: DETOJET

	(Contd. of page 1)
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	~
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
· Classification system: · NFPA ratings (scale 0 - 4)	
· NFFA raungs (scale 0 - 4)	
Health = 1	
Fire = $0$	
1  0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 1 Health = $l$	
FIRE 0 $Fire = 0$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
· <b>vPvB:</b> Not applicable.	

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1310-58-3	POTASSIUM HYDROXIDE	>2.5- <i>≤</i> 10%
1344-09-8	Silicic acid, sodium salt	>2.5- <i>≤</i> 10%
7681-52-9	sodium hypochlorite, solution	>2.5- <i>≤</i> 10%

### **4 First-aid measures**

### · Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

<sup>-</sup> US -

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/08/2023

Reviewed on 03/08/2023

Trade name: DETOJET

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
1310-58-3	POTASSIUM HYDROXIDE	0.18 mg/m <sup>3</sup>
1344-09-8	Silicic acid, sodium salt	5.9 mg/m <sup>3</sup>
7681-52-9	sodium hypochlorite, solution	2 mg/m <sup>3</sup>
· PAC-2:		
1310-58-3	POTASSIUM HYDROXIDE	$2 mg/m^3$
1344-09-8	Silicic acid, sodium salt	65 mg/m <sup>3</sup>
7681-52-9	sodium hypochlorite, solution	290 mg/m <sup>3</sup>
· PAC-3:		
1310-58-3	POTASSIUM HYDROXIDE	54 mg/m <sup>3</sup>
1344-09-8	Silicic acid, sodium salt	390 mg/m <sup>3</sup>
7681-52-9	sodium hypochlorite, solution	1,800 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

(Contd. on page 4)

*Printing date 03/08/2023* 

Reviewed on 03/08/2023

Trade name: DETOJET

(Contd. of page 3)

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

### · Control parameters

### · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 1310-58-3 POTASSIUM HYDROXIDE

*REL Ceiling limit value: 2 mg/m<sup>3</sup>* 

TLV Ceiling limit value: 2 mg/m<sup>3</sup>

7681-52-9 sodium hypochlorite, solution

WEEL Short-term value: 2 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 03/08/2023

Reviewed on 03/08/2023

### Trade name: DETOJET

(Contd. of page 4)

	<b>•</b> • • •	
Information on basic physical and	chemical properties	
General Information		
Appearance:	Liquid	
Form: Color:	Liquid Clear	
· Odor:	Characteristic	
· Odor: · Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	12.4	
	12.7	
Change in condition	The distance in a d	
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	1,327 °C (34.427 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
, oc coment.	0.0 g/l / 0.00 lb/gal	
Solids content:	13.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions Contact with acids releases toxic gases.
- · Conditions to avoid No further relevant information available.

(Contd. on page 6)

US

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/08/2023

Reviewed on 03/08/2023

Trade name: DETOJET

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

(Contd. on page 7)

<sup>·</sup> Toxicity

Printing date 03/08/2023

Reviewed on 03/08/2023

Trade name: DETOJET

(Contd. of page 6)

# **13 Disposal considerations**

## · Waste treatment methods

## · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT, ADR, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Potassium hydroxide, Hypochlor
	solutions)
ADR	1760 CORROSIVE LIQUID, N.O.S. (POTASSIUM HYDROXID
	HYPOCHLORITE SOLUTION)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (POTASSIUM HYDROXID
	HYPOCHLORITE SOLUTION)
Transport hazard class(es)	
DOT	
J. J. J.	
CORROSIVE	
Class	8 Corrosive substances
Label	8
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	(SGG18) Alkalis
Stowage Category	
Segregation Code	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
	SOSS Slow separated from SOOT-actas
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

*Printing date 03/08/2023* 

Reviewed on 03/08/2023

Trade name: DETOJET

(Contd. of page 7
On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1760 CORROSIVE LIQUID, N.O.S. (POTASSIUN HYDROXIDE, HYPOCHLORITE SOLUTION), 8, II

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

(Contd. on page 9)

<sup>-</sup> US

Printing date 03/08/2023

Reviewed on 03/08/2023

### Trade name: DETOJET

	(Contd. of page 8)
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• <i>GHS label elements</i> The product is classified and labeled according to the Globally Harmonized • <i>Hazard pictograms</i>	l System (GHS).
GHS05	
· Signal word Danger	
· Hazard-determining components of labeling:	
Silicic acid, sodium salt	
sodium hypochlorite, solution	
POTASSIUM HYDROXIDE	
· Hazard statements	
Causes severe skin burns and eye damage.	
· Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe	r.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen Continue rinsing.	nt and easy to do.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulatio	ons.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Contact:

· Date of preparation / last revision 03/08/2023

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety Health

(Contd. on page 10)

<sup>·</sup> Abbreviations and acronyms:

US

Printing date 03/08/2023

Trade name: DETOJET

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Reviewed on 03/08/2023

(Contd. of page 9)

IS –